THERMOLYSIS OF SURFACE-IMMOBILIZED PHENETHYL PHENYL ETHER

P. F. Britt, A. C. Buchanan, III, and V. M. Hitsman
Chemistry Division
Oak Ridge National Laboratory
P. O. Box 2008
Oak Ridge, TN 37831-6197

ABSTRACT

Our research has focused on modeling the constraints on free-radical reactions that might be imposed in coal as a consequence of its cross-linked macromolecular structure by covalently bonding diphenylalkanes to an inert silica surface. A surface-immobilized phenethyl phenyl ether ($\approx PhCH_2CH_2OPh$, or $\approx$PPE-3) has been prepared as a model for ether linkages in lignin by the condensation of p-$HOPhCH_2CH_2OPh$ with the surface hydroxyls of a high purity fumed silica. Thermolysis of $\approx$PPE-3 at saturation surface coverage at 375 °C produces $\approx PhCH=CH_2$ and PhOH as the major products which are consistent with the proposed free-radical chain mechanism for the decomposition of fluid-phase phenethyl phenyl ether. However, significant quantities of $\approx PhCH_3$ and PhCHO (ca. 18% of the products) are produced indicating the emergence of a new reaction pathway on the surface. The mechanism for the decomposition of $\approx$PPE-3 will be discussed in light of this new information.

Keywords: thermolysis, model compounds, mechanisms, restricted diffusion

INTRODUCTION

Attempts to probe the fundamental chemical reactions responsible for the thermal conversion of coal into liquid products has been hampered by the complex heterogeneous macromolecular structure of coal. Our efforts have focused on modelling the impact of restricted diffusional mobility on the thermal reactivity of coal by covalently bonding model compounds representing structural features in coal to an inert silica surface. Thus far, our research has focused on the thermally induced free radical decomposition of α, ω–diphenylalkanes ($Ph(CH_2)_nPh$ where n=0-4) at 345-400 °C.[1-5] The results have shown that significant perturbations can occur in free radical reaction mechanisms which can alter reaction rates and product selectivities compared to the corresponding fluid phase behavior. We now have initiated a study on the the effects of restricted mass transport on the thermal decomposition of ether bridges which are prevalent in low rank coals and lignites. Although ether linkages are more thermally labile than the corresponding carbon analogues, it has been observed that

under liquefaction conditions optimized for bituminous coals, low rank coals and lignites afford low liquefaction yields. [6] It has been proposed that cross-linking reactions associated with oxygen functional groups (-OH, -OCH$_3$, and -COOH) are responsible for the low yields.[6,7] In order to better understand the chemical reactions leading to retrograde processes, the effects of restricted diffusion of the thermolysis of surface-attached phenethyl phenyl ether ($\approx$PhCH$_2$CH$_2$OPh, $\approx$PPE-3) has been studied. Although the thermal decomposition of phenethyl phenyl ether (PPE) has been previously studied in the gas phase,[8,9a] liquid phase,[9a] and in the presence of tetralin,[8,10] hydrogen,[10,11] and metal catalysts,[11] our results show that a previously undetected free radical decomposition pathway is available for the thermal cracking of $\approx$PPE.

EXPERIMENTAL

Surface-immobilized phenethyl phenyl ether ($\approx$PPE-3) was prepared at saturation surface coverage by the condensation of p-HOC$_6$H$_4$CH$_2$CH$_2$OPh (2.25 equiv) with the surface hydroxyl groups of a high purity fumed amorphous silica (Cab-O-Sil, grade M-5, Cabot Corp., 200 m^2 g^{-1}, ca. 4.5 OH nm^{-2}) at 222 °C for 30 min as previously described.[1-3] The excess phenol was sublimed from the sample by heating for 70 min at 254 °C under vacuum (3x10^{-3} Torr). The surface-attached PPE was liberated from the silica as the phenol by a base hydrolysis procedure, silylated to the trimethylsilyl ether, and analyzed by GC and GC/MS. The surface coverage was 0.562 mmol of $\approx$PPE-3 per gram of derivatized silica with the purity of recovered phenol >99.9% by GC. The starting phenol, p-HOC$_6$H$_4$CH$_2$CH$_2$OPh, was prepared in four steps from p-HOC$_6$H$_4$CH$_2$CH$_2$OH by selective benzylation of the phenol with K$_2$CO$_3$ and PhCH$_2$Br in dimethyl formamide, conversion of the alcohol to the tosylate with tosyl chloride in pyridine, base catalyzed alkylation of phenol with the tosylate using K$_2$CO$_3$ and PhOH in dimethyl formamide, and debenzylation by catalytic hydrogenolysis using Pd/C in HOAc with 10 % H$_2$SO$_4$. Repeated crystallizations from benzene/hexanes afforded p-HOC$_6$H$_4$CH$_2$CH$_2$OPh in >99.9% purity by GC.

Thermolysis of $\approx$PPE-3 was preformed at 375 ± 1 °C in T-shaped tubes sealed under high vacuum (ca. 10^{-6} Torr). The volatile products were collected as they formed in a cold trap (77 K), analyzed by GC and GC/MS, and quantitated by the use of internal standards with measured GC detector response factors. The surface-attached products were removed from the silica as the corresponding phenols by a base hydrolysis procedure, silylated to the trimethylsilyl ethers, and analyzed as above. All products were identified by the mass spectra and whenever possible, by comparison with an authentic sample.

RESULTS AND DISCUSSION

Thermolysis of ≈PPE-3 at 375 °C has been studied at saturation coverage from ca. 1-17 % conversion. At low conversion, ≈PPE-3 cracks to from approximately equal amounts of phenol plus surface-attached styrene (≈PhCH=CH$_2$) as the major products (ca. 81 mol %) and benzaldehyde plus surface-attached toluene (≈PhCH$_3$) as minor products (ca. 18 mol %). A trace amount of surface-attached ethylbenzene (≈PhCH$_2$CH$_3$, ca. 1.5 mol %) was also detected. The conversion dependence of the products is shown in Figure 1.

$$≈PhCH_2CH_2OPh \rightarrow ≈PhCH=CH_2 + PhOH + ≈PhCH_2CH_3 \qquad (1)$$

$$≈PhCH_3 + PhCHO$$

Thermolysis of phenethyl phenyl ether (PPE) in the gas or liquid phase at low conversions at 325-400 °C has been reported to yield PhOH and PhCH=CH$_2$ as

$$PhCH_2CH_2OPh \rightarrow PhCH=CH_2 + PhOH \qquad (2)$$

the major products (eq 2).[8,9] Although minor amounts of PhCH$_3$ and PhCH$_2$CH$_3$ have been detected, they were attributed to secondary decomposition of PhCH=CH$_2$.[8] However, benzaldehyde has not been reported from the thermal decomposition of PPE in the gas, liquid phase, or in the presence of hydrogen donors. In the thermolysis of ≈PPE-3, ≈PhCH$_3$ does not appear to be a secondary product formed at the expense of the surface-attached styrene as shown in Figure 1. The rate of decomposition of PPE in the liquid phase at 350-390 °C is similar to that of the carbon analogue 1,3-diphenylpropane (Ph(CH$_2$)$_3$Ph, DPP)[9] and can be accelerated by the addition of benzyl phenyl ether. Likewise, the rate of decomposition of ≈PPE-3 at 375 °C (8.3 % h^{-1}) is similar to that of surface-attached Ph(CH$_2$)$_3$Ph (≈DPP) at saturation coverage (7-9 % h^{-1}).[2] Since the rates of conversion of DPP and ≈DPP are similar, surface-attachment does not perturb the initial reaction behavior in the decomposition of ≈PPE-3.

The cracking of PPE is proposed to proceed by a free radical chain decomposition reaction, although a minor contribution from a concerted retro-ene reaction can not be completely ruled out.[8] The decomposition reaction is initiated by homolysis of the weak C-O bond (bond dissociation energy estimated as ca. 63 kcal mol^{-1})[12] to form 2-phenylethyl and phenoxy radicals. The radical chain propagation steps are show in eq 3 and 4.

$$PhO^{\bullet} + PhCH_2CH_2OPh \rightarrow PhOH + Ph\overset{\bullet}{C}HCH_2OPh \qquad (3)$$

531

$$\overset{\bullet}{Ph}CHCH_2OPh \rightarrow PhCH=CH_2 + PhO^{\bullet} \tag{4}$$

In the thermolysis of $\approx$PPE-3, a similar free radical decomposition reaction can be written to explain the formation of the products (eq 5-12). The reaction is initiated by the homolysis of the weak C-O bond. The resulting radicals can abstract hydrogen from $\approx$PPE-3 to form a surface-attached 1-phenoxy-2-phenyl-2-ethyl radical (1) which can undergo β-scission to yield surface-attached styrene and the chain carrying phenoxy radical.

$$\approx PhCH_2CH_2OPh \rightarrow \approx PhCH_2CH_2^{\bullet} + PhO^{\bullet} \tag{5}$$

$$\approx PhCH_2CH_2^{\bullet} + \approx PhCH_2CH_2OPh \rightarrow \approx PhCH_2CH_3 + \approx Ph\overset{\bullet}{C}HCH_2OPh \tag{6}$$
$$\mathbf{1}$$

$$PhO^{\bullet} + \approx PhCH_2CH_2OPh \rightarrow PhOH + \mathbf{1} \tag{7}$$

$$\mathbf{1} \rightarrow \approx PhCH=CH_2 + PhO^{\bullet} \tag{8}$$

Surface-attached $PhCH_3$ and gas phase PhCHO can be formed by a free radical chain process shown in steps 9-12. Hydrogen abstraction at the aliphatic site forms 1-phenoxy-2-phenyl-1-ethyl radical (2). Although radical 1 is estimated to be more stable than 2 by ca. 7 kcal mol^{-1},[12] there is precedence for the competitive formation of products from the thermodynamically less stable radical of tetralin (2-tetralyl radical)[13] and 1,4-diphenylbutane (1,4-diphenyl-2-butyl radical)[14] at these temperatures.

$$PhO^{\bullet} + \approx PhCH_2CH_2OPh \rightarrow PhOH + \approx PhCH_2\overset{\bullet}{C}HOPh \tag{9}$$
$$\mathbf{2}$$

$$\approx PhCH_2\overset{\bullet}{C}HOPh \rightarrow \approx PhCH_2\underset{Ph}{C}HO^{\bullet} \tag{10}$$

$$\approx PhCH_2\underset{Ph}{C}HO^{\bullet} \rightarrow \approx PhCH_2^{\bullet} + PhCHO \tag{11}$$

$$\approx PhCH_2^{\bullet} + \approx PhCH_2CH_2OPh \begin{cases} \rightarrow \approx PhCH_3 + \mathbf{1} & (12a) \\ \rightarrow \approx PhCH_3 + \mathbf{2} & (12b) \end{cases}$$

Radical 2 can undergo a 1,2-phenyl shift from oxygen to carbon (eq 10). Analogous intramolecular 1,2-phenyl shifts have been reported in the thermal decomposition of phenetole ($PhOCH_2CH_3$)[15] and anisole at 400 °C.[16] β-scission of the rearranged radical affords benzaldehyde and the chain carrying surface-attached benzyl radical. Formation of $\approx PhCH_3$ from C-C homolysis of $\approx$PPE, producing $\approx PhCH_2^{\bullet}$ and $PhOCH_2^{\bullet}$, is predicted to be small

since the C-C bond is estimated to be ca. 7 kcal mol^{-1} stronger than the corresponding C-O bond in PPE.[12] Furthermore, no anisole (from hydrogen abstraction by PhOCH$_2 \cdot$) or benzyl alcohol (from 1,2-phenyl shift and hydrogen abstraction by PhCH$_2$O$\cdot$) was detected. Additional evidence for this previously undetected free radical pathway for the thermal degradation of PPE is found in the thermolysis of the $\approx$PhOCH$_2$CH$_2$Ph ($\approx$PPE-1) at 375 °C in which $\approx$PhOH and PhCH=CH$_2$ are formed as the major products (ca. 80 mol %) and $\approx$PhCHO and PhCH$_3$ are formed as the minor products (ca. 20 mol %) indicating a similar free radical chain mechanism as described in steps 5-12 is occurring.[17]

At this point, it is unclear whether the additional mechanistic steps (eq 9-12) required to rationalize the product distribution from the thermolysis of $\approx$PPE are a consequence of restricted diffusion, or an undetected reaction pathway in the thermolysis of liquid phase PPE. However, these reactions may explain the formation of toluene at low conversions and the formation of 1,2-diphenylethane and benzyl phenyl ether at higher conversions (termination reactions of PhCH$_2 \cdot$) which are reported for the thermal decomposition of PPE.[8] These steps may also be participating in the thermal decomposition of the homopolymers of 4-allylphenol and eugenol, which contain β-ether types linkages.[18,19] The previous mechanism for the decomposition of PPE (steps 3 and 4)[9] could not explain the formation of C$_1$-phenol and catechol (cresol, m/e 108 and 2-methoxy-4-methylphenol, m/e 138). However, by inclusion of reactions analogous to those in steps 9-12, a reasonable free radical chain pathway is available for formation of these products.

CONCLUSIONS

Covalent attachment of organic compounds to an inert silica surface has proven useful in modeling the effects of restricted substrate diffusion on free radical decomposition reactions which may occur in coal as a consequence of its cross-linked macromolecular structure. Thermolysis of surface-attached phenethyl phenyl ether, as a model for ether linkages in lignin, has shown a previously undetected pathway for the free radical chain decomposition of PPE which affords surface-attached toluene and gas phase benzaldehyde. Additional studies into the role of the radical rearrangements and the origin of this new decomposition pathway in the thermal decomposition of $\approx$PPE are currently under way.

ACKNOWLEDGEMENTS

...

REFERENCES

1. Buchanan, III, A. C.; Dunstan, T. D. J.; Douglas, E. C.; Poutsma, M. L. *J. Am. Chem. Soc.* **1986**, *108*, 7703.
2. Buchanan, III, A. C.; Biggs, C. A. *J. Org. Chem.* **1989**, *54*, 517.
3. (a) Britt, P. F.; Buchanan, III, A. C.; Biggs, C. A. *Prep. Pap. -Am. Chem. Soc., Div. Fuel Chem.* **1989**, *34(2)*, 567. (b) Britt, P. F.; Buchanan, III, A. C., submitted for publication.
4. (a) Buchanan, III, A. C.; Britt, P. F.; Biggs, C. A. *Energy & Fuels* **1990**, *4*, 415. (b) Buchanan, III, A. C.; Britt, P. F.; Biggs, C. A. *Prep. Pap. -Am. Chem. Soc., Div. Fuel Chem.* **1989**, *34(4)*, 1317.
5. Buchanan, III, A. C.; Britt, P. F.; Poutsma, M. L. *Prep. Pap. -Am. Chem. Soc., Div. Fuel Chem.* **1990**, *35(1)*, 217.
6. Solomon, P. R.; Serio, M. A.; Deshpande, G. V.; Kroo, E.; Schobert, H.; Burgess, C. *Prep. Pap. -Am. Chem. Soc., Div. Fuel Chem.* **1989**, *34(3)*, 803.
7. Suuberg, E. M.; Lee, D.; Larsen, J. W. *Fuel* **1985**, *64*, 1668.
8. Klein, M. T.; Virk, P. S. *Ind. Eng. Chem. Fundam.* **1983**, *22*, 35.
9. (a) Gilbert, K. E.; Gajewski, J. J. *J. Org. Chem.* **1982**, *47*, 4899. (b) Gilbert, K. E. *J. Org. Chem.* **1984**, *49*, 6.
10. Korobkov, V. Y.; Grigorieva, E. N.; Bykov, V. I.; Senko, O. V.; Kalechitz, I. V. *Fuel* **1988**, *67*, 657.
11. Cassidy, P. J.; Jackson, W. R.; Larkins, F. P. *Fuel* **1983**, *62*, 1404.
12. (a) Benson, S. W. *Thermochemical Kinetics*, 2nd ed.; Wiley-Interscience: New York, 1976. (b) McMillen, D. F.; Golden, D. M. *Annu. Rev. Phys. Chem.* **1982**, *33*, 493.
13. (a) Franz, J. A.; Camaioni, D. M. *J. Org. Chem.* **1980**, *45*, 5247. (b) Benjamin, B. M.; Hagaman, E. W.; Raaen, V. F.; Collins, C. J. *Fuel* **1979**, *58*, 386.
14. Poutsma, M. L.; Dyer, C. W. *J. Org. Chem.* **1982**, *47*, 4903.
15. Collins, C. J.; Roark, W. H.; Raaen, V. F.; Benjamin, B. M. *J. Am. Chem. Soc.* **1979**, *101*, 1877.
16. Afifi, A. I.; Hindermann, J. P.; Chornet, E.; Overend, R. P. *Fuel* **1989**, *68*, 498.
17. Britt, P. F.; Fox, Jr., J. B., unpublished results.
18. McMillen, D. F.; Malhotra, R.; Serio, M. A. *Prep. Pap. -Am. Chem. Soc., Div. Fuel Chem.* **1990**, *35(2)*, 430.
19. These polymers presumable contain the analogous C-C-O linkage; However, conclusive evidence for the structures of the polymers is not currently available.

Products (mol / 100 mol ≈PPE-3)

▲ PhOH
○ ≈PhCH=CH2
■ PhCHO
△ ≈PhCH3
□ ≈PhCH2CH3

% Conversion

Figure 1. Product selectivities as a function of conversion for thermolysis of ≈PPE-3 at 375 °C at saturation coverage.